Combo, Net media center 9”, 6-Port Voice & Data



Package Includes:

A. 9” Plastic Net Media Center Box, **1 Piece**

B. Net Media Center Plastic Cover, **1 Piece**

C. 6-Port CAT 5e Data & 6-Port Telephone Module w/RJ31x, **1 Piece**

D. #6-32x 1”, Pan Head. Tapping Screw, Phillips, Zinc Plated Steel, **2 Pieces**

E. #10-24 X 1”, Wood Screw, **4 Pieces**

F. Wiring Location Sheet, **1 Piece**

Features and Benefits

- Designed to serve as the central distribution point for voice, data, video, audio, and security services
- Allows for internal modules to be mounted horizontally or vertically
- Works with connectivity modules with push and pull fasteners
- Snap-in system enables users to quickly insert or move the modules
- 4 internal module mounting spaces
- ABS plastic, lightweight, and sturdy
- Fits between 16” studs or can be wall mounted
- Depth mark on the enclosure simplifies adjustment for drywall depths (1¾”, 1½”, 1¼”, 7/8”, ¾,” 5/8”)
- Enclosure combos are not designed to be installed in firewall applications
- Complies with ETL, TIA-568-C, TIA-570-B and TIA-607 standards
- The cover snaps on and can be screwed down and has a knockout for an optional padlock

I 888-ASK-4ICC icc.com csr@icc.com I

© Copyright 2017, ICC. This document and the designs, specifications and information contained herein are the property of ICC. Reproduction, modification, alteration or unauthorized use without ICC’s approval is strictly prohibited. ICC and the ICC logo are registered trade name and trademark of ICC. All rights reserved.



NOTE: UNLESS OTHERWISE SPECIFIED

1. Material: ABS, UL 94V-0
2. Color: White
3. Finish: Matte

I 888-ASK-4ICC icc.com csr@icc.com I

© Copyright 2017, ICC. This document and the designs, specifications and information contained herein are the property of ICC. Reproduction, modification, alteration or unauthorized use without ICC's approval is strictly prohibited. ICC and the ICC logo are registered trade name and trademark of ICC. All rights reserved.

NOTE: UNLESS OTHERWISE SPECIFIED

1. 6-Port CAT 5e Data & 6-Port Telephone Module with RJ31X Jack:

A. PCB: Glass Epoxy FR4 Copper Clad, t=1.20mm

B. 110 Block:

- Housing: PC, UL 94V-0
- IDC: Phosphorous Bronze, Tin Plated

C. RJ45 & RJ31X Jack/Socket:

- Housing: PBT + 15% Fiber Glass
- Contact: Phosphorous Bronze, 50µ" Gold Plated

D. Wiring in accordance to T568A

2. Locking Button: Material: Nylon 6/6, UL 96V-0





I 888-ASK-4ICC icc.com csr@icc.com I

© Copyright 2017, ICC. This document and the designs, specifications and information contained herein are the property of ICC. Reproduction, modification, alteration or unauthorized use without ICC's approval is strictly prohibited. ICC and the ICC logo are registered trade name and trademark of ICC. All rights reserved.